



PETREL GLOBAL

Business Village-Block B 3d Floor, office 309-310, 221 Al Maktoum Rd, Dubai, UAE
www.petrel-global.com, tel.: +971 52 821 6411



Riva Rivamare



"A journey with my Rivamare"
Iseo Lake, Italy.

































Profile



Main deck



Lower deck

TECHNICAL SHEET

Motorization 2 x Volvo Penta D6 400 - power 400mhp / 294 kW at 3500 rpm
+ Aquamatic Duoprop DPH

Speed Maximum speed..... knots 40
Cruising speed..... knots 31

Range Maximum speed..... n.m. 260
prediction data Cruising speed..... n.m. 280

Main sizes Loa = Overall length (standard ISO 8666)..... 11,88 m. - 39 ft. 0 in.
Lh = Hull length (standard ISO 8666)..... 11,72 m. - 38 ft. 5 in.
Lwl = Waterline length (boat fully laden)..... 10,10 m. - 33 ft. 2 in.
Maximum beam..... 3,50 m. - 11 ft. 6 in.
Depth under propellers (boat fully laden)..... 1,16 m. - 3 ft. 10 in.
Displacement unladen..... 9,00 ton./lb. 19842
Displacement laden..... 11,50 ton./lb. 25294
Maximum number of persons on board..... 8
Design category Directive 2013/53/EU..... B
Certification modules..... B + F RINA Sp.A.

Technical data Hull type: 15° deadrise warped hull with spray rails
H = Overall height from keel to windscreen..... 3,00 m. - 9 ft. 10 in.
Ht = Minimum transport height from keel..... 3,00 m. - 9 ft. 10 in.
P1 = Pulpit..... 0,02 m. - 0 ft. 1 in.
P2 = Platform connected to the hull..... 0,14 m. - 0 ft. 6 in.
Fuel tank capacity..... 1000 lt./US gals. 264
Water tank capacity..... 330 lt./US gals. 87

Performance specifications The performance is estimated at the following conditions: standard version displacement of the yacht: at half liquid load, clean hull, 25°C air temperature, good weather conditions,
4 persons on board..... 9,99 ton./lb. 22013
Overloading the yacht by..... 0,35 ton./lb. 772
top speed decreases of..... 1 knot
With the following optionals installed: Gangway + Gyro Stabilizers
top speed decreases of..... 1,5 knot



PETREL GLOBAL

Business Village-Block B 3d Floor, office 309-310, 221 Al Maktoum Rd, Dubai, UAE.
www.petrel-global.com, tel.: +971 52 821 6411